

CAT5E UTP CABLE




Item	Indoor UUTP Cat5E Cable 305m
Type	CAT5E
shielding structure	U/UTP
conductor	Bare Copper,24 AWG
Number Of Conductor	4 Pairs
conductor diameter	1/0.45mm, 1/0.46mm,1/0.47mm,1/0.48mm, 1/0.49mm,1/0.50mm,1/0.50mm
Insulation	HDPE
Jacket	PVC,LSZH,PE(outdoor), PVC+PE double sheath
Flame Retardant	cM,CMX,CMR,CMP,Fca,Eca,Dca,Cca,B2ca
color	As client's request
Length	305m/1000ft per pull box
Packing	Pull box, 2 boxes /carton
Test	100% Passed the FLUKE 90M link and 100M channel test
Reference Standard	YD/T1019-2001,ISO/EC 11801,ANSVTIA/EIA-568B,UL444
Certificates	CE,RoHS, ISO9001
customizing	Color of PVC jacket,marking words on cable & customized packaging

CAT5E FTP CABLE



Item	Indoor U/UTP Cat5E Cable 305m
Type	CAT5E
shielding structure	U/UTP
Conductor	Bare Copper,24AWG
Number Of Conductor	4 Pairs
Conductor diameter	1/0.45mm, 1/0.46mm,1/0.47mm,1/0.48mm, 1/0.49mm,1/0.50mm,1/0.50mm
Insulation	HDPE
Jacket	PVC,LSZH,PE(outdoor), PVC+PE double sheath
Flame Retardant	CM,CMX,CMR,CMP,Fca,Eca,Dca,Cca,B2ca
Color	As client's request
Length	305m/1000ft per pull box
Packing	Pull box, 2 boxes carton
Test	100%Passed the FLUKE 90M link and 100M channel test
Reference Standard	YD/T1019-2001,ISOIEC 11801,ANSVTIA/EIA-568B,UL444
certificates	CE, RoHS, ISO9001
customizing	Color of PVC jacket, marking words on cable & customized packaging


CAT5E FTP CABLE



Item	Indoor F/UTP Cat5E Cable 305m
Type	CAT5E
shielding structure	FIUTP
Conductor	Bare Copper,24 AWG
Number Of Conductor	4 Pairs
Conductor diameter	1/0.48mm,1/0.49mm,1/0.50mm,1/0.51mm
Insulation	HDPE
shield	Mylar +AL-foil
Drain wire	0.4mm ,TC,CCA,TCCS
Jacket	PVC,LSZH,PE(outdoor),PVC+PE double sheath
Flame Retardant	CM,CMX,CMR,CMP,Fca,Eca,Dca,Cca,B2ca
Color	As client's request

Length	305m(100ft)/Drum
Packing	Wooden spool(wooden drum)
Test	100% Passed the FLUKE 90M link and 100M channel test
Reference Standard	YD/T1019-2001,ISO/IEC 11801,ANSI/TIA/EIA-568B,UL444
Certificates	CE, RoHS, ISO9001
Customizing	Color of PVC jacket, marking words on cable & customized packaging

CAT5E SFTP CABLE



Item	Indoor SF/UTP Cat5E Cable 305m
Type	CAT5E
shielding structure	SF/UTP
Conductor	Bare Copper,24 AWG
Number Of Conductor	4 Pairs
Conductor diameter	1/0.48mm,110.49mm,1/0.50mm,110.51mm
Insulation	HDPE
shield	Mylar +AL-foil
Braiding	64 or 80*0.12mm ALM,0.1mm Tc
Drain wire	0.4mm ,TC,CCA,TCCS
Jacket	PVC,LSZH,PE(outdoor),PVC+PE double sheath
Flame Retardancy	CM,CMX,CMR,CMP,Fca,Eca,Dca,Cca,B2ca
Color	As client's request
Length	305m(100ft)/Drum
Packing	Wooden spool(wooden drum)
Test	100%Passed the FLUKE 90M link and 100M channel test

Reference Standard	YD/T1019-2001,ISO/IEC11801,ANSI/TIAEIA-568B,UL444
Certificates	CE, RoHS, ISO9001
customizing	Color of PVC jacket,marking words on cable & customized packaging